



Chevy Light CO., LTD
Professional LED Grow Lights Manufacturer

21W LED Grow Light

Indoor 21W High Power LED
Grow Light Technical Specifications



www.growlight.cn

Add: 6/F, No. A, Runfeng Industrial Garden, Dongcai Industrial Zone, Gushu, Xixiang Town, Bao'an District, Shenzhen, P.R. China



Tel: +86-755-29102491 / +86-755-29102493



Fax: +86-755-29644987



+86 -13751045873 ((Ms Cindy Xu) / +86 (0)15818651584 (Ms Michelle Tan)



MSN:



chevylight1@live.cn

chevy-light@hotmail.com



SkyPe: [chevylight](https://www.skype.com/user/chevylight)



	
<p>① CL-GLR15B3W3-660</p>	<p>② CL-GL21W</p>

Kinds of Wavelength for red light

① **Red(660nm) : Blue : White=15:3:3**

Also can accord customer needs produce 660nm Mix 630nm

Spec Sheet

- ★ Discard the traditional fan cooling solution (as a result of fan lights affect the life span of life), the product used aluminum casing design. Cooling mode solutions that enable lights live longer.
- ★ Ideal for all phases of plant growth, and works well with any indoor garden, whether hydroponics or soil based
- ★ Lifetime over 50,000 hours;
- ★ Use only the exact spectrums required for plant photosynthesis;
- ★ The low heat emission eliminates the need for ducting & heat exhaust fans;
- ★ Built-in cooling system(thermostatically controlled fans) solve the heat dissipation excellently;
- ★ Environment-friendly: Don't contain the harmful substance HPS & MH have, much less hazardous
- ★ OEM/ODM or customized integrated grow lighting solutions are available as well. Please contact us with your requirements.
- ★ Each light covers at least 2.5square meters (0.6m-0.9m high away from plant), 120 degree;
- ★ After-service: at least 1-year-warranty, welcome to inquiry about usage, guarantee, maintenance and other hot points
- ★ E40 type based, easy to set ;



Characteristic

Item	Value	Item	Value
Size	∅ 230mmx(H)220mm	Net Weight	1.5 kg
Working environment	-20~60°C	Working Frequency	50/60 Hz
Storage condition	-40~85°C	Working Voltage	AC110V/220V
Power Factor	>0.95	Input current	220V/AC, 110mA
Luminous Flux	900 Lm	Lighting Area	1 m ² (0.3m height)
Lighting time per day	10-16 Hours	LED Beam Angle	120°
Height above the Plant	45/60/90cm	LED Color Ratio	Red:Blue:White=15:3:3
Gross Weight	2kg/pcs	Packing	30x30x30cm / 1pcs

The pictures below show the plant growing from seeding under the 21w Grow Light





Chevy Light CO., LTD
Professional LED Grow Lights Manufacturer



E40 pothook





21W LED Grow Light

